LED DISK SI

LED DISK | LED under cabinet lights



- Shelves
- Glass cabinets
- Kitchens

Product benefits

- Particularly compact
- High brightness thanks to LED technology
- Quick and simple installation (Plug & Light)
- High flexibility in various applications

Product features

- Color temperature: 3,000 K
- High-quality aluminum casing
- Switch integrated in the power cable
- Type of mounting: adhesive tape or srews
- Through-wiring or connection via distributor
- Small and slim LED downlight in round shape

© 2013, OSRAM GmbH. All rights reserved.

Technical data

Electrical data

Nominal wattage	6.80 W
Mains frequency	50…60 Hz
Operating mode	Electronic control gear (ECG)

Light technical data

Color temperature	3000 K
Beam angle	100 °
Luminous flux	120 lm
Color rendering index Ra	75

Dimensions & weight

Length	56.0 mm
Width	56.0 mm
Diameter	58.0 mm
Height	8.0 mm

Colors & materials

Body material	Aluminum
Product color	Silver

Temperatures

Ambient temperature range	…+25 °C

Additional product data

Equipment	LED
Equipped with lamp	Yes

© 2013, OSRAM GmbH. All rights reserved.

Additional product data

New article	NEW

Capabilities

Type of installation	Mounting
Adjustable	No
Dimmable	No
With on/off switch	Yes
Type of connection	Transformer
Accessories	Adhesive foil

Certificates & standards

Standards	CE
Protection class	insulation class III (safety extra-low voltage)
Type of protection	IP20
Protection against ignition and fire	MM

Country specific categorizations

Order reference	X

© 2013, OSRAM GmbH. All rights reserved.



Wiring diagram

© 2013, OSRAM GmbH. All rights reserved.

Logistical Data

Product code	Packaging unit (Pieces/Unit)	Dimensions (height x width x length)	Gross weight	Volume
4008321624154	Blister 1	103 mm x 39 mm x 438 mm	396.00 g	1.76 dm³
4008321624161	Shipping carton box 6	213 mm x 135 mm x 450 mm	2712.00 g	12.94 dm³

Packaging image

© 2013, OSRAM GmbH. All rights reserved.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

© 2013, OSRAM GmbH. All rights reserved.